







3-1	Spiral, Couplers, End Caps, Split Rings	Flexible Ducting
3-2	Bends	Clamps & Ties
3-3	Spigots, Shoes, Boots, Saddles	Spiral & Fittings
3-4	Dampers, Tee's, Bird Beaks, Cows	Tapes & Sealant
3-5	Reducers	Fans & Silencers
		Support Systems
		Channel, Studding, Nuts & Bolts
		Grilles & Diffusers
		Fire Dampers & VCD's
		Flange & Duct Accessories
		Plastic Ducting
		Filters
		A/C Products
		Tools









	Spiral x 3m	Coupler	End Cap	Split Ring per Pair
Code	S-Ø	C-Ø (male) CF-Ø (female)	EC-Ø	SPT-Ø SPTB-Ø (Centre Boss)
Size				
80	20.39	1.57	2.30	2.59
100	10.82	1.57	1.77	2.59
125	13.36	1.68	2.30	2.81
150	15.87	1.73	2.30	2.81
160	17.21	1.81	2.30	3.29
180	20.72	1.95	2.74	3.57
200	20.72	1.95	2.74	3.57
224	28.01	2.30	5.21	3.87
250	28.01	2.30	3.63	3.98
280	33.70	2.86	9.92	4.12
300	33.70	3.08	7.18	4.92
315	34.72	3.08	7.18	4.92
355	54.32	4.31	11.56	6.27
400	60.65	4.46	12.23	6.27
450	71.13	5.88	15.40	6.89
500	76.31	6.64	16.95	8.03
560	100.38	7.25	19.24	8.35
600	113.18	10.76	23.98	8.57
630	119.56	10.76	23.98	8.96
710	161.46	14.53	40.59	10.20
800	184.17	15.29	46.19	10.87
900	224.71	17.79	46.19	11.59
1000	255.56	21.31	57.76	12.48







	30 Degree	45 Degree	60 degree	90 Degree	90 Degree Twin Bend
Code	B-30/Ø	B-45/Ø	B-60/Ø	B-90/Ø	TB-Ø
Size					
80		3.83		4.84	
100	5.02	3.74	6.75	4.84	33.31
125	5.97	4.47	7.98	5.92	39.76
150	8.19	5.28	14.21	7.67	51.59
160	8.53	5.85	14.70	8.59	53.55
180	11.95	7.59	18.01	11.47	63.87
200	11.95	7.59	18.18	11.47	73.53
224	11.97	12.82	18.96	18.40	101.10
250	11.97	12.82	19.34	18.39	104.97
280	15.09	16.27	23.34	22.17	115.56
300	15.25	16.27	24.68	23.45	116.41
315	15.60	18.11	26.18	24.87	132.32
355	22.60	20.13	28.63	27.20	142.45
400	23.77	31.82	41.74	41.74	171.08
450	26.24	32.99	52.42	52.42	194.09
500	31.95	43.13	60.59	60.59	244.36
560	42.08	51.85	74.27	85.96	277.61
600	44.76	60.40	83.88	94.19	305.34
630	47.94	65.22	92.23	99.15	312.71
710	71.06	101.98	181.09	189.27	598.24
800	83.37	125.61	206.21	206.21	611.83
900	109.04	163.91	301.22	301.22	734.21
1000	136.92	265.89	426.10	426.10	951.75






	Flanged Spigot	Flat Shoe	Curved Boot	Pressed Saddle
Code	SP-Ø	SH-Ø	CB-AØ/BØ	PS-AØ/BØ
Size				
80	3.03	13.57		4.06
100	1.55	10.63	13.52	3.44
125	1.75	11.33	14.03	3.55
150	1.96	13.06	14.09	3.72
160	2.08	13.53	15.75	4.36
180	2.53	16.11	17.18	7.01
200	2.53	16.11	18.65	5.84
224	3.22	19.77	21.87	9.87
250	3.22	19.77	21.87	8.68
280	4.50	24.69	26.08	17.81
300	4.50	24.69	26.45	15.62
315	4.99	25.66	26.45	15.62
355	5.80	34.40	40.80	25.00
400	7.19	36.36	51.87	28.98
450	7.89	45.93	54.08	31.30
500	8.34	55.25	66.19	36.09
560	9.17	84.63		38.68
600	10.00	93.15		41.09






	Balancing Damper	Iris Damper	Equal Tee	Mesh Birds Beak	Weathering Cowl
Code	BD-Ø	ID-Ø	T-Ø	BB-Ø	RC-Ø
Size					
80	12.65			31.33	31.33
100	12.27	38.99	10.01	24.50	31.33
125	12.74	42.48	10.52	25.50	32.84
150	13.38	45.14	14.23	26.75	32.84
160	13.88	47.20	14.95	27.50	32.84
180	14.18		18.84	29.45	37.80
200	14.18	51.30	18.84	29.45	37.80
224	16.94		26.87	34.50	37.80
250	16.94	80.03	31.83	34.50	37.80
280	19.46		44.40	40.14	42.42
300	19.74	104.65	44.78	40.14	42.42
315	20.56	94.39	47.47	42.76	45.06
355	31.07		79.15	48.50	50.86
400	36.80		89.75	52.72	50.86
450	46.19		99.52	57.50	56.71




Pressed Reducers



Code: R-large Ø-small Ø

Reduced to :-						
	100	125	150	160	200	250
125	5.18					
150	5.18	5.18				
160	5.18	5.18	5.56			
200	6.42	6.42	6.42	6.42		
250		8.46	8.46	8.46	8.46	
300			19.27		14.01	14.01
315					14.51	14.51

Fabricated Reducers



Reduced to :-								
	315	355	400	450	500	560	600	630
355	27.41							
400	30.83	30.83						
450	31.83	31.83	31.83					
500	35.29	35.29	35.29	35.29				
560	46.06	46.06	46.06	46.06	46.06			
600	57.11	57.11	57.11	57.11	57.11	57.11		
630	57.11	57.11	57.11	57.11	57.11	57.11	57.11	
710	81.80	81.80	81.80	81.80	81.80	81.80	81.80	81.80