







3-1	Spiral, Couplers, End Caps, Split Rings	Flexible Ducting
3-2	Bends	Clamps & Ties
3-3	Spigots, Shoes, Boots, Saddles	Spiral & Fittings
3-4	Dampers, Tee's, Bird Beaks, Cows	Tapes & Sealant
3-5	Reducers	Fans & Silencers
		Support Systems
		Channel, Studding, Nuts & Bolts
		Grilles & Diffusers
		Fire Dampers & VCD's
		Flange & Duct Accessories
		Plastic Ducting
		Filters
		A/C Products
		Tools









	Spiral x 3m	Coupler	End Cap	Split Ring per Pair
Code	S-Ø	C-Ø (male) CF-Ø (female)	EC-Ø	SPT-Ø SPTB-Ø (Centre Boss)
Size				
<b>80</b>	16.71	1.34	2.09	2.59
<b>100</b>	8.87	1.34	1.61	2.59
<b>125</b>	10.95	1.43	2.09	2.81
<b>150</b>	13.01	1.47	2.09	2.81
<b>160</b>	14.11	1.54	2.09	3.29
<b>180</b>	16.98	1.66	2.49	3.57
<b>200</b>	16.98	1.66	2.49	3.57
<b>224</b>	22.96	1.96	4.74	3.87
<b>250</b>	22.96	1.96	3.30	3.98
<b>280</b>	27.62	2.43	9.02	4.12
<b>300</b>	27.62	2.62	6.53	4.92
<b>315</b>	28.46	2.62	6.53	4.92
<b>355</b>	42.60	3.67	10.51	6.27
<b>400</b>	46.66	3.80	11.12	6.27
<b>450</b>	54.72	5.00	14.00	6.89
<b>500</b>	58.70	5.65	15.41	8.03
<b>560</b>	77.22	6.17	17.49	8.35
<b>600</b>	87.06	9.16	21.80	8.57
<b>630</b>	91.97	9.16	21.80	8.96
<b>710</b>	124.20	11.75	36.90	10.20
<b>800</b>	141.67	12.45	41.99	10.87
<b>900</b>	172.85	14.38	41.99	11.59
<b>1000</b>	196.59	18.14	52.51	12.48











	<b>30 Degree</b>	<b>45 Degree</b>	<b>60 degree</b>	<b>90 Degree</b>	<b>90 Degree Twin Bend</b>
<b>Code</b>	<b>B-30/Ø</b>	<b>B-45/Ø</b>	<b>B-60/Ø</b>	<b>B-90/Ø</b>	<b>TB-Ø</b>
<b>Size</b>					
<b>80</b>		3.48		4.40	
<b>100</b>	4.57	3.40	6.14	4.40	30.28
<b>125</b>	5.43	4.07	7.25	5.38	36.15
<b>150</b>	7.45	4.80	12.92	6.97	46.90
<b>160</b>	7.75	5.32	13.36	7.81	48.68
<b>180</b>	10.86	6.90	16.37	10.43	58.06
<b>200</b>	10.86	6.90	16.54	10.43	66.84
<b>224</b>	10.19	10.91	16.14	15.66	86.04
<b>250</b>	10.19	10.91	16.46	15.65	89.34
<b>280</b>	12.84	13.85	19.86	18.87	98.35
<b>300</b>	12.98	13.85	21.00	19.96	99.07
<b>315</b>	13.28	15.41	22.28	21.17	112.62
<b>355</b>	19.23	17.13	24.37	23.15	121.24
<b>400</b>	20.23	27.08	35.52	35.52	145.60
<b>450</b>	22.33	29.57	44.61	44.61	165.19
<b>500</b>	27.19	36.71	51.57	51.57	207.97
<b>560</b>	35.81	44.13	63.21	73.16	236.26
<b>600</b>	38.09	51.40	71.39	80.16	259.86
<b>630</b>	40.80	55.51	78.49	84.38	266.14
<b>710</b>	60.48	86.79	154.12	161.08	509.14
<b>800</b>	70.95	106.90	175.50	175.50	520.71
<b>900</b>	92.80	139.50	256.36	256.36	624.86
<b>1000</b>	116.53	226.29	362.64	362.64	810.00










	<b>Flanged Spigot</b>	<b>Flat Shoe</b>	<b>Curved Boot</b>	<b>Pressed Saddle</b>
<b>Code</b>	<b>SP-Ø</b>	<b>SH-Ø</b>	<b>CB-AØ/BØ</b>	<b>PS-AØ/BØ</b>
<b>Size</b>				
<b>80</b>	2.75	11.70		3.92
<b>100</b>	1.41	10.12	12.88	3.13
<b>125</b>	1.59	10.79	13.36	3.23
<b>150</b>	1.78	12.44	13.42	3.38
<b>160</b>	1.89	12.89	15.00	3.96
<b>180</b>	2.30	15.34	16.36	6.37
<b>200</b>	2.30	15.34	17.76	5.31
<b>224</b>	2.93	18.83	20.83	8.97
<b>250</b>	2.93	18.83	20.83	7.55
<b>280</b>	4.09	23.51	24.84	16.19
<b>300</b>	4.09	23.51	25.19	14.20
<b>315</b>	4.54	24.44	25.19	14.20
<b>355</b>	5.27	32.76	38.86	25.00
<b>400</b>	6.54	34.63	49.40	28.89
<b>450</b>	7.17	43.74	51.50	31.30
<b>500</b>	7.58	52.62	63.04	36.09
<b>560</b>	8.34			41.09
<b>600</b>	9.09			53.34






	<b>Balancing Damper</b>	<b>Iris Damper</b>	<b>Equal Tee</b>	<b>Mesh Birds Beak</b>	<b>Weathering Cowl</b>
<b>Code</b>	<b>BD-Ø</b>	<b>ID-Ø</b>	<b>T-Ø</b>	<b>BB-Ø</b>	<b>RC-Ø</b>
<b>Size</b>					
<b>80</b>	12.04			31.33	31.33
<b>100</b>	11.69	38.99	9.10	24.50	31.33
<b>125</b>	12.13	42.48	9.56	25.50	32.84
<b>150</b>	12.74	45.14	12.94	26.75	32.84
<b>160</b>	13.22	47.20	13.59	27.50	32.84
<b>180</b>	13.50		17.13	29.45	37.80
<b>200</b>	13.50	51.30	17.13	29.45	37.80
<b>224</b>	16.13		24.43	34.50	37.80
<b>250</b>	16.13	80.03	27.68	34.50	37.80
<b>280</b>	18.53		40.36	40.14	42.42
<b>300</b>	18.80	104.65	40.71	40.14	42.42
<b>315</b>	19.58	94.39	43.15	42.76	45.06
<b>355</b>	29.59		79.15	48.50	50.86
<b>400</b>	35.05		89.75	52.72	50.86
<b>450</b>	43.99		99.52	57.50	56.71




# Pressed Reducers



Code: R-large Ø-small Ø

Reduced to :-						
	100	125	150	160	200	250
125	4.71					
150	4.71	4.71				
160	4.71	4.71	5.06			
200	5.84	5.84	5.84	5.84		
250		7.69	7.69	7.69	7.69	
300			17.52		12.74	12.74
315					13.19	13.19

# Fabricated Reducers



Reduced to :-								
	315	355	400	450	500	560	600	630
355	23.33							
400	26.24	26.24						
450	27.09	27.09	27.09					
500	30.03	30.03	30.03	30.03				
560	39.20	39.20	39.20	39.20	39.20			
600	48.60	48.60	48.60	48.60	48.60	48.60		
630	48.60	48.60	48.60	48.60	48.60	48.60	48.60	
710	69.62	69.62	69.62	69.62	69.62	69.62	69.62	69.62